

MRGCorp.

2026

PRODUCT CATALOG

www.mrgcorp.id

JOBS

— INOVATIVE INTERIOR MATERIAL —



WALLPANEL

KISI-KISI

✓ Interlocking System

Easy Installation - Tongue&Groove join



✓ Strong & Durable Material

Water Resistant, Fire Retardant, & Insect/Termite Free


✓ Fast Installation

Apply using sealant glue to wall/surface

✓ Light Weight

✓ Luxury Texture

Various colour and real-like Wood pattern





Wall Panel Kisi (WPK) merupakan alternatif finishing dinding yang ramah lingkungan, pengganti material kayu dengan hasil pemasangan menyerupai kayu.

Berbahan dasar campuran PVC, sehingga material tahan air, rayap, ringan, dan mudah dibersihkan

2950mm

JOBS WALLPANEL **SPECIFICATION**

Dimension

168 mmx 24mm x 2950mm

Effective width 16 cm

1 box = 10 pcs (4.7m²)

WPK
01

WALNUT



WPK 02 PINEWOOD



WPK 03 OAKWOOD



WPK
04 DARKWOOD



WPK
05 LIGHTWOOD



WPK 06 GREY SOLID



JOBS

WPK
07

WHITE SOLID



JOBS

WPK

08

BLACK SOLID



WPK

09

SORENTO BLUE



JOBS

WPK

10

TOSQUA GREEN



WPK
11

BEIGE CREAM



WPK
12
DARK WALNUT



WPK
13
TEAKWOOD



WPK
14
RASHBERRY



JOBS

WPK
15

CARRARA WHITE



WPK
16
GREY MARBLE



WPK 17 TIM



WPK
18
GREY STONE



WPK 19 ALDER WOOD



WPK 20 GREY FABRIC



MRG

HC01

HC02

HC03

HC04

HC05



HC SERIES



158 mm x 15 mm x 2950 mm
1 box = 10 pcs

JOBS

3LINE SERIES



195 mm x 14 mm x 2950 mm

1 box = 15 pcs



3L01



3L02



3L03



THIN SERIES



148mm x 8.8mm x 2950 mm

1 box = 15 pcs



WP C01
WHITE



WP C02
BLACK



WP C03
OAKWOOD



WP C04
HERRINGBONE GREY



WP C05
DARK WALNUT



WP C06
DARKWOOD THIN



WP C07
TEAKWOOD THIN



WP C08
LIGHTWOOD THIN

WPC CEILING CLICK ON TRACK



WC445-01
40x45x2900mm



WC445-02
40x45x2900mm



WC445-03
40x45x2900mm



WCT
Track WPC 2900mm



WC48-01
40x80x2900mm




WC48-02
40x80x2900mm



WC48-03
40x80x2900mm

WPC HOLLOW TIMBER (KISI²)



HO55 SERIES

50x50x2900mm


1 box = 16 pcs



HO55-01

HO55-02

HO55-03



HO510 SERIES

50x100x2900mm

1 box = 10 pcs



HO510-01

HO510-02

HO510-03

Installation



1. Clean both ends of WPC timber and put glue inside.



2. Insert the wooden block in both ends of WPC timber.



3. Put glue on wooden block in both ends of WPC timber.



4. Fix the wooden block on the ceiling, use spacer to make distance between WPC equal.



5. Then fix with glue the wood block and WPC timber, repeat until all WPC timber installed.



JOBS

ACCESSORIES



LIS SIKU/EDGING
25mmx25mmx2900mm



LS



KLIP



WPC OUTDOOR CLADDING



WO-01
DARK COFFEE



WO-02
TEAK



WO-03
BLACK



- ✓ ANTI UV
- ✓ WATER RESISTANT
- ✓ TERMITE FREE
- ✓ HIGH DURABILITY

Specification
wide : 219 mm
length : 2900 mm
thickness : 26mm
weight : 2.92kg/m



JOBS **MRG** WPC HOLLOW OUTDOOR

OHO55 SERIES

50x50x2900mm

1 box = 8 pcs



OHO55-01


OHO55-02

OHO55-03

OHO510 SERIES

50x100x2900mm

1 box = 4 pcs



OHO510-01

OHO510-02

OHO510-03



OHC-55



OHC-510



OHC-U

JOBS

WPC DECKING OUTDOOR



Spec : 140 x 25 x 2900 mm
1 dus = 5 btg, 2.35kg/m



WD-01
Black Walnut



WD-02
Teak



WD-03
Coffee



WD-04
Ebony



JOBS WPC DECKING ACCESORIES

Lis / Edging WPC Decking:

Spesifikasi : 50 x 50 x 2900mm



WDL-01




WDL-02



WDL-03




WDL-04



WDA1
Baseplate (Joist)





LM201

20mmx10mmx2.9m
1 dus : 100 btg




LM202

20mmx10mmx2.9m
1 dus : 100 btg



LM801

80mmx10mmx2.9m
1 dus : 36 btg



LM401

40mmx20mmx2.9m
1 dus : 50 btg




LM402

40mmx20mmx2.9m
1 dus : 50 btg



LM1001

100mmx10mmx2.9m
1 dus : 26 btg



LM601

60mmx30mmx2.9m
1 dus : 30 btg




LM602

60mmx20mmx2.9m
1 dus : 20 btg

MIRROR SERIES

Bamboo Charcoal* (PET) - 5mm x 1220 mm x 2900mm



PM-01 Rose Gold



PM-02 Gold



PM-03 Black



PM-04 Silver

**3 layers, more strength, with clear plastic coating*